



Staging  Dimensions

***Custom Fabrication  
Is Our Specialty!***

31 Blevins Drive • Suite A • New Castle, DE 19720  
Phone (866)591-3471/(302)328-4100 Fax(302)328-1034  
[www.stagingdimensions.com](http://www.stagingdimensions.com)





31 Blevins Drive • Suite A • New Castle, DE 19720  
866-591-3471 Toll Free • 302-328-4100 PH • 302-328-1034 FX  
www.stagingdimensions.com • sales@stagingdimensions.com

PRODUCT	PAGE
Stage Decks	2
Surface Options	3
Custom Staging	4-5
Custom Structures	6
Orchestra Pit Fillers	7
Seating & Choral Risers	8
Support Systems	9-10
Support System Accessories	11-13
Stair Units	14-16
Guardrails & Chairstops	17-18
ADA & Equipment Ramps	19
Storage Carts	20
Skirting	21-22
Pipe & Drape	23
Specialty Items	24-25

***Staging Dimensions carries a wide range of stock items or we can custom build to your exact specifications. Our experienced sales staff can guide you through the concept, design and installation of your staging products to insure that not only is your idea the finished product but that it is manufactured to provide the greatest level of safety as well.***

# Standard Stage Decks

**Standard stage decks can be ANY square or rectangular dimension beginning at 1' x 1' up to 4' x 8'. Larger sizes, curved, triangular or circular stages are also available as custom products.**

## Features:


- Certified Live Weight Load of 200 lbs. psf
- Bolt Construction Allows for Easy Field Repairs
- 6005-T5 4-sided Extruded Aluminum Tube & Corners
- 1" or 3/4" 9-Ply Marine Grade Plywood
- Grade 5 Zinc Plated Bolts
- #10 Zinc Plated Deck Screws
- 3/4" Hook Velcro On All Four Sides of the Deck
- Nylock Nuts Eliminate Vibration & Noise Interference
- Dual Lock™ Locking System Activated From Top or Bottom of Decks
- Center Support Brace Eliminate Surface Flex & Bounce

## Options:

- Mill Finish Aluminum Frame
- Powder-Coated or Anodized Frame in a Variety of Colors
- Additional Support Braces
- Weather Resistant Treatment Quad or Poly Surface Only
- Sound Absorbent Material
- Cable Cut outs
- Fixed, Adjustable or Rolling Leg Supports
- Wunderstructure Bridging Support
- Scaffold, I-Beam, Truss or Custom Supports



4' x 8' Haircell Poly Deck



Underside of Stage Deck



Male Dual Lock



Female Dual Lock



Black Powder Coated Deck Frame



3' x 8' Grey Carpet Deck

## Ordering Information:

Item #	Dimensions	Weight	Item #	Dimensions	Weight
SD1X1	1'W x 1'L x 3 3/4"H	17 lbs.	SD2X7	2'W x 7'L x 3 3/4"H	63 lbs.
SD1X2	1'W x 2'L x 3 3/4"H	19 lbs.	SD2X8	2'W x 8'L x 3 3/4"H	75 lbs.
SD1X3	1'W x 3'L x 3 3/4"H	22 lbs.	SD3X3	3'W x 3'L x 3 3/4"H	44 lbs.
SD1X4	1'W x 4'L x 3 3/4"H	29 lbs.	SD3X4	3'W x 4'L x 3 3/4"H	51 lbs.
SD1X5	1'W x 5'L x 3 3/4"H	34 lbs.	SD3X5	3'W x 5'L x 3 3/4"H	62 lbs.
SD1X6	1'W x 6'L x 3 3/4"H	39 lbs.	SD3X6	3'W x 6'L x 3 3/4"H	71 lbs.
SD1X7	1'W x 7'L x 3 3/4"H	44 lbs.	SD3X7	3'W x 7'L x 3 3/4"H	89 lbs.
SD1X8	1'W x 8'L x 3 3/4"H	49 lbs.	SD3X8	3'W x 8'L x 3 3/4"H	102 lbs.
SD2X2	2'W x 2'L x 3 3/4"H	25 lbs.	SD4X4	4'W x 4'L x 3 3/4"H	72 lbs.
SD2X3	2'W x 3'L x 3 3/4"H	35 lbs.	SD4X5	4'W x 5'L x 3 3/4"H	92 lbs.
SD2X4	2'W x 4'L x 3 3/4"H	44 lbs.	SD4X6	4'W x 6'L x 3 3/4"H	107 lbs.
SD2X5	2'W x 5'L x 3 3/4"H	51 lbs.	SD4X7	4'W x 7'L x 3 3/4"H	127 lbs.
SD2X6	2'W x 6'L x 3 3/4"H	57 lbs.	SD4X8	4'W x 8'L x 3 3/4"H	139 lbs.




4' x 4' Non Skid Quad Deck

Backsaver  
Tall Allen Key




# Surface Options

*All surface options with the exception of grated aluminum are easily removable and can be interchanged to provide versatility to our products. Custom surface options including custom carpet, stained plywood, tongue & groove and plyon are available upon request.*



## **Non-Skid Quad Ripple**

1" thick 9-ply, marine grade, douglas fir plywood with a 0.050 black, non-skid quad ripple polypropylene applied to the top surface and a 0.020 Polypropylene applied to the bottom/COF Value 0.83 grip surface.



## **Haircell Poly**

1" thick 9-ply, marine grade, douglas fir plywood with a 0.050 smooth black, level haircell polypropylene applied to the top surface and a 0.020 Polypropylene applied to the bottom/COF Value 0.71 grip surface.



## **Weather Resistant Option**

A two-step CP10 primer /sealer aggregate is applied to the edges of our poly or quad surfaces prior to positioning in the aluminum frame.



## **Pepper Grey Carpet**

¾" thick 11-ply marine grade plywood with a 26 oz. pepper grey loop carpet adhered to plywood surface.



## **Black Carpet**

¾" thick 11-ply marine grade plywood with a 30 oz. jet black pile carpet adhered to plywood surface.



## **Plywood**


1" thick 9-ply marine grade, Douglas fir plywood can be sold unfinished or finished with stain, clear polyurethane or flame retardant black paint.



## **"Clear" Plexi**

1" thick clear acrylic provides an unobstructed surface for up-lighting stages and runways.


¾ + ¼" thick surface can also be used to allow inexpensive replacement of the ¼" surface so that decks remain in like new condition.



## **"Milk" Plexi**

1" thick "Milk" or natural polypropylene provides a diffused surface for up-lighting.

¾ + ¼" thick surface can also be used to allow inexpensive replacement of the ¼" surface so that decks remain in like new condition.



## **Grated Aluminum**

1" x 3/16" mill finish swaged aluminum grating is welded to aluminum deck frames allowing for up-lighting, fog, haze and other special effects.

# Custom Staging

CNC laser technology allows us to provide our customers with custom stage decks for any application. The ability to provide precision cuts, curves and inlays on our interlocking stage decks allows our customers endless design possibilities. Our custom process begins with our customers' concept and ideas, we then create CAD drawings for approval and these drawings are fed into the CNC router to insure the customer receives a product that is exactly what they envisioned. This custom process is used on all circular, curved, trapezoidal, triangle and inlay decks. All of our custom stage decks are constructed using the same extruded aluminum frame as our standard products which enables our customers to integrate the use of standard and custom products to create a unique stage system. Various heights can be achieved with our standard or custom support systems.

## Circular Decks

We offer standard circular stage decks in a variety of sizes and surfaces. Our 4' & 6' diameter decks are offered as a standard 2 piece construction. Our 8' decks are available as a 2 piece or 4 piece construction and our 10' diameter deck is offered as a standard 5 piece construction. Larger diameter stages (11' – 80') and multiple piece construction of the smaller stages can be custom built to your specifications.



2' x 8' 1/2 Moon - Milk Plexi



16' x 12' Custom Tongue and Groove Stage with Curved Thrust



8' Diameter 2-Tier Haircell Poly Stage



8' Diameter Circle - Pepper Grey Carpet (4 Piece Construction)

## Laminated & Inlay Decks

Our inlay process allows us to use a variety of colored or clear material including polycarbonates, acrylics, metals and Plexiglas. These surfaces are available in a thickness range of 3/16" up to 1" and provide our customers with the ability to up-light these specialty decks. Any of our standard or custom stage decks can be laminated or inlaid with logos, advertising information or additional media content. The laminates are weather resistant, clear sealed to protect and are available in a variety of flat, high gloss or slip resistant options.



Acrylic Inlay

## Triangle & Trapezoidal Decks

Standard triangle decks include the 4' and 8' triangle, however, any dimension can be achieved and built to your exact specifications.



4' Triangle Deck



Laminate Overlay



Custom 4' x 8' Trapezoid Deck Stage



# Custom Staging

## Scaffold Decks

Forty-five degree corner cut decks are designed for use with scaffolding systems. Scaffold decks and transoms are available in a variety of dimensions to meet your individual needs.



## Aquatic Staging

Standard and custom stage decks can be used as pool covers, diving platforms and runway stages in a variety of surfaces to meet our customers' individual needs. Pool covers can be designed as clear span so that no support equipment will rest on the pool floor. Aquatic staging can also be used in conjunction with our standard support systems or trussing to provide unique options for utilizing pools during special events.




Mountain Dew Tour 2010—Hard Rock Hotel Pool Cover



Custom Pool Cover—Borgata Water Club



Diving Platform—University of Texas Swim Center



Mountain Dew Tour 2010—Hard Rock Hotel Pool Cover



Fashion Show Runway Over Pool—Florida  
Photo Courtesy of Rental Stages, Inc.



# Custom Structures

*Custom buildings, ramps, trade show booths and structures can be manufactured to meet your individual needs. Staging Dimensions will work hand in hand with your architect and engineering firm to create structures designed to accommodate environmental, aesthetic and safety requirements. Most pieces are constructed using our standard product design which allows them to be interchangeable and reconfigured for use in alternate applications.*



2011 Hot Wheels "Fearless at the 500" Custom Ramp



2012 Hot Wheels "Double Loop Dare" 60' Custom Steel Loops



2010 Celebrity Beach Bowl—Main Stage



2010 Celebrity Beach Bowl—2 Tier VIP Structure



Custom Trade Show Booth



2 Story Merchandise Building




# Orchestra Pit Fillers

***Orchestra pit fillers and stage extensions can be custom designed and built to exact specifications. Our manufacturing process utilizes CAD drawings and CNC routing technology to provide the highest quality staging products possible. Pit fillers and stage extension can be built at a variety of fixed or adjustable heights to offer our customers unlimited utilization for their stage products. In addition to our standard surface options we offer custom surfaces, sound absorptive material and fire retardant options. Staging Dimensions will provide specification and engineering documentation, field measurement surveys, installation as well as on-site training on installation and removal to insure that your custom pit filler or stage extension is the perfect fit.***




Custom Pit Filler for Solomon Victory Theaters at WWII Museum- New Orleans




Gantry System for Solomon Victory Theaters at WWII Museum- New Orleans



Custom Orchestra Pit Filler for Strand Theatre- Lakewood, NJ



Sub Structure for Custom Orchestra Pit Filler for Strand Theatre- Lakewood, NJ



Custom Pit Filler for Saenger Theatre- Pensacola, FL



# Seating & Choral Risers


*Seating and choral risers are created by locking together multiple tiers of our stage decks. This can be accomplished using standard or custom stage decks in a variety of surfaces and layouts to create “U” shaped, “V” shaped, straight or custom riser systems. Wunderstructures can be used in conjunction with fixed height legs allowing you to bridge tiers left to right and front to back. Accessories such as guardrail, chairstops and closure panels enhance the appearance of the riser system while providing additional safety measures. Tiers can be over-hung to minimize space and choral risers can be dismantled and re-configured for use in multiple applications.*



3-Tier Grey Carpet Riser



3-Tier Over-Hung Haircell Poly Riser



Custom Curved Black Fire Resistant 2-Tier Riser



Tiered Musician Riser—Boston Symphony Orchestra



Tiered Grey Carpet Seating Riser—Shakespeare Theatre



Tiered Seating Riser—Phillies 2008 World Series Celebration

# Stage Support Systems

We offer four standard, interchangeable support systems for our staging panels which include: fixed height legs, adjustable height legs, rolling legs and wunderstructures. Custom support system designs are also available and include I-Beams, truss, transoms and clear span supports.

## Fixed Height Legs

### Features:

- Schedule 40 1 1/4" Aluminum Pipe Construction
- 2" Diameter Leveling Foot w/ 2" Fine Adjustment
- Non-Marring Neoprene Foot Pad
- Leg Pipes Cut 2" Shorter for Proper Alignment
- **Sold in Sets of Four or Individually**

### Options:

- Available in Heights Beginning at 4"
- Replacement Foot Pad & Insert Sold Separately
- Custom Heights Available
- Leg Clamps Required over 24"
- Leg Braces Required over 36"



Leveling Foot on Fixed Height Legs



Black Powder Coated Fixed Height Legs



4' x 4' Haircell Poly Deck With Fixed Height Legs

### Ordering Information:

Item #	Dimensions	Weight	Item #	Dimensions	Weight
SDL4P	Set of 4 / 4" Legs	1 lbs.	SDL28P	Set of 4 / 28" Legs	8 lbs.
SDL6P	Set of 4 / 6" Legs	2 lbs.	SDL30P	Set of 4 / 30" Legs	9 lbs.
SDL8P	Set of 4 / 8" Legs	3 lbs.	SDL32P	Set of 4 / 32" Legs	10 lbs.
SDL12P	Set of 4 / 12" Legs	4 lbs.	SDL40P	Set of 4 / 40" Legs	12 lbs.
SDL16P	Set of 4 / 16" Legs	5 lbs.	SDL48P	Set of 4 / 48" Legs	14 lbs.
SDL24P	Set of 4 / 24" Legs	7 lbs.	SDL56P	Set of 4 / 56" Legs	18 lbs.

## Adjustable Height Legs

### Features:


- Schedule 40 1 1/4" Aluminum Pipe & 1 7/8" Telestrut Construction
- 2" Diameter Leveling Foot w/ 2" Fine Adjustment
- Non-Marring Neoprene Foot Pad
- **Sold in Sets of Four or Individually**

### Options:

- Replacement Foot Pad & Insert Sold Separately
- Custom Heights Available
- Leg Clamps Required over 24"
- Leg Braces Required over 36"



4' x 8' Non Skid Quad Deck With 36"-56" Adjustable Legs



### Ordering Information:

Item #	Dimensions	Weight	Item #	Dimensions	Weight
SD1216ALP	Set of 4 / 12"-16" Legs	10 lbs.	SDL2436ALP	Set of 4 / 24"-36" Legs	24 lbs.
SD1624ALP	Set of 4 / 16"-24" Legs	18 lbs.	SDL3656ALP	Set of 4 / 36"-56" Legs	33 lbs.

## Rolling Legs

### Features:

- Laser Cut Steel Single or Double Plates
- Schedule 40 1 1/4" Sleeves (Same As Leg Pipe)
- 4" Total Lock Casters
- Sleeves Are Cut 7" Shorter for Proper Alignment
- **Sold Individually**
- **Rolling Riser Legs Require Sleeves For Use.**

### Options:


- Replacement Plates, Sleeves and Casters Sold Separately
- Custom Heights Available
- Multiple Heights Achieved with Sleeve System
- Sleeve Kits Available (12", 16", 18", 20" & 24")



Single Rolling Riser Leg Plate With Nipple & Caster



Double Rolling Riser Leg Plate With Nipple & Caster



8' x 8' Rolling Riser



Single Rolling Riser Leg With Sleeve



Double Rolling Riser Leg With Sleeves

### Ordering Information:

Item #	Dimensions	Weight	Item #	Dimensions	Weight
SDSRRL	Single Rolling Leg	10 lbs.	SDRRLS10	1 1/4" x 3" Pipe	0.25 lb.
SDSRRLP	Single Rolling Leg Plate	6 lbs.	SDRRLS12	1 1/4" x 5" Pipe	0.50 lb.
SDDRRL	Double Rolling Leg	18 lbs.	SDRRLS16	1 1/4" x 9" Pipe	0.75 lb.
SDDRRLP	Double Rolling Leg Plate	10 lbs.	SDRRLS18	1 1/4" x 11" Pipe	1lb.
CASTER4S	4" Total Lock Caster	4 lbs.	SDRRLS20	1 1/4" x 13" Pipe	1.25 lb.
			SDRRLS24	1 1/4" x 14" Pipe	1.50 lb.



# Stage Support Systems


## Wunderstructures

### Features:

- Lightweight 6061-T6 & 6005-T5 Aluminum Construction
- Hand Activated Spring Plunger height adjustment
- Designed for all Terrain Environments
- Each Leg is Individually Adjustable
- Folds Flat for Easy Storage
- Monkey Claw Support Arm Attaches with Quick Release Clamp
- 3" Diameter Fine Leveling Foot Provides 3" of Fine Adjustment
- Bridging System will Support Up To (4) Decks
- Locator Plates included with price of Wunderstructure

### Options:

- Caster Pots provide quick conversion for Rolling Stages
- Standard or Inverted Legs
- Custom Heights & Sizes Available
- Coupling Sleeves for Double Stacking
- Mill Finish, Powder-Coating or Anodizing (Available in a Variety of Colors)
- Leg Brace Package required on 78" – 108" Model




4' x 8' Wunderstructure



4' X 8' Deck with Wunderstructure



4' X 8' Decks Bridged with Wunderstructures



Wunderstructure Folded for Storage



4' x 4' Deck with Wunderstructure



Wunderstructure tiered riser



Double Stacked Wunderstructures

### Ordering Information:

Item #	Wunderstructure Options	Weight
SDWS2436	48" Wide x 96" Long @ 24" – 36" High	100 lbs.
SDWS3656	48" Wide x 96" Long @ 36" – 56" High	125 lbs.
SDWS4878	48" Wide x 96" Long @ 48" – 78" High	150 lbs.
SDWS78108	48" Wide x 96" Long @ 78" – 108" High	175 lbs.
SDWSLBP	Leg Brace Package For 78"-108"	26 lbs.

# Stage Support Systems Accessories


## Locator Plates

### Features:

- Cast Aluminum Design
- PVC Nodes Easily Bolts to Plates
- Grade 5 Zinc Plated Bolts
- Nylock Nuts
- Replacement Plates, Node & Bolt Sold Separately



Quad Locator Plate



Locator Plate Top View



Locator Plate Bottom View



4' x 8' Wunderstructure With Quad Locator Plates Installed on 4' x 8' Stage Deck

Single Locator Plate weight = 2 lb.



Double Right Locator Plate weight = 2 lb.



Double Left Locator Plate weight = 2 lb.



Quad Locator Plate weight = 3 lb.



### Ordering Information:

Item #	Locator Plate Options	Weight
SDLCP	Empty Locator Plate	2 lbs.
SDSLCP	Locator Plate with (1) Node & Bolt	2 lbs.
SDDRLCP	Right Locator Plate with (2) Nodes & Bolts	3 lbs.
SDDLCP	Left Locator Plate with (2) Nodes & Bolts	3 lbs.
SDQLCP	Quad Locator Plate with (4) Nodes & Bolts	3 lbs.

## Caster Pots

### Features:

- Schedule 40 Steel Pipe & Plate Construction
- 4" x 4 1/2" Plate Receives Numerous Casters
- Easily Converts Stationary Wunderstructure to Rolling
- Standard Black Powder-Coating
- Available as Single or Double Units
- Optional Pneumatic Tires Available
- Custom Sizes Available



Single Caster Pot



Double Caster Pot



8' x 12' Stage On Wunderstructures With Caster Pots



Single Caster Pot With 4" Locking Caster



Single Caster Pot With 6" Standard Caster



Double Caster Pot With Standard 6" Caster



Single Caster Pot With 10" Pneumatic Caster



10" Pneumatic Caster Installed on Wunderstructures

### Ordering Information:

Item #	Caster Pot Options	Weight
SDSCP4	Single Caster Pot with 4" Caster	4 lbs.
SDSCP6	Single Caster Pot with 6" Caster	6 lbs.
SDSCP10	Single Caster Pot with 10" Pneumatic Caster	12 lbs.
SDDCP6	Double Caster Pot with 6" Caster	9 lbs.
SDDCP10	Double Caster Pot with 10" Pneumatic Caster	15 lbs.



# Stage Support Systems Accessories

## Leg Storage Clips

### Features:


- 0.40 x 1/2" Nickel Plated Spring Steel Construction
- Holding Capacity 1" – 1 7/8" Diameter
- Mounts to Underside of Deck Providing Secure, Hidden Leg Storage
- Reduces Lost or Misplaced Legs
- Multiple Sets of Legs can be stored with each deck
- Storage Does NOT Interfere with Functionality of Decks
- Can Easily be Added to Existing Inventory
- One Clip will Hold Legs Up to 15"
- Multiple Clips Necessary for Legs over 16"
- **Larger Sizes Available for Adjustable Legs**



2 Sets Of Leg Clips Under One Deck



16" Legs With Leg Clips Under Deck



4' x 8' deck with Leg Clips

### Ordering Information:

Item #	Leg Clip Options	Weight
SDLC	Single Leg Clip	7 oz.
SDLCP	Package of (4) Leg Clips	1.75 lbs.

## Diagonal Leg Braces

### Features:

- 1 1/4" Square Aluminum Tube, 3/16" x 2" Steel Flatbar & Thermoplastic 3/8-16 Wingnut Construction
- Fixed or Adjustable Lengths
- Available for Fixed or Adjustable Legs, Wunderstructures or any Combination of These Support Systems
- Only Necessary On 78"-108" Wunderstructures or When Combined With Fixed or Adjustable Legs
- Clamps Are Powder-Coated Black
- Aluminum Tube is Mill Finish
- Used To Tie Multi-Tier Risers Together
- Required on Stage Heights Over 36"
- **Custom Designs Available**



8' Diagonal Leg Braces



4' Adjustable Diagonal Leg Brace



4' Diagonal Leg Brace



Diagonal Leg Brace Clamp



Diagonal Leg Brace Clamped To Leg

### Ordering Information:

Item #	Diagonal Leg Brace Options	Weight
SDCB4'SIDE	Diagonal Leg Brace 4' Deck Side	5 lbs.
SDACB4'SIDE	Adjustable Diagonal Leg Brace 4' Deck Side	5 lbs.
SDALCB4'SIDE	Diagonal Adjustable Leg Brace 4' Deck Side	5 lbs.
SDAALCB4'SIDE	Adjustable Diagonal Leg Brace 4' Deck Side For Adjustable Legs	5 lbs.
SDWSLCB4'SIDE	Wunderstructure to Fixed Leg Diagonal Leg Brace 4' Deck Side	6 lbs.
SDCB8'SIDE	Diagonal Leg Brace 8' Deck Side	8 lbs.
SDACB8'SIDE	Adjustable Diagonal Leg Brace 8' Deck Side	8 lbs.
SDALCB8'SIDE	Diagonal Adjustable Leg Brace 8' Deck Side	8 lbs.
SDAALCB8'SIDE	Adjustable Diagonal Leg Brace 8' Deck Side For Adjustable Legs	8 lbs.
SDWSLCB8'SIDE	Wunderstructure to Fixed Leg Diagonal Leg Brace 8' Deck Side	9 lbs.



Diagonal Leg Brace from Wunderstructure to Adjustable Leg

# Stage Support Systems Accessories

## Leg Clamps

### Features:

- 3/16" x 2" Steel Flat bar & Thermoplastic 3/8-16 Wingnut Construction
- 2-Way or 4-Way Options
- Available for Fixed or Adjustable Legs, Wunderstructures or any Combination of These Support Systems
- Only Necessary on Wunderstructures when Combined with Fixed or Adjustable Legs
- Powder-Coated Black
- Used to Tie Multi-Tier Risers Together
- Recommended on Stage Heights Over 24"



2 Way Leg Clamp



4 Way Leg Clamp Installed



2 Way Leg Clamp Installed



4 Way Leg Clamp



Leg Clamps Installed On Tiered Risers


### Ordering Information:

Item #	Leg Clip Options	Weight
SD2LCP	2-Way Leg Clamp	2 lbs.
SD2ALCP	2-Way Adjustable Leg Clamp	2 lbs.
SD2WSLCP	2-Way Wunderstructure Leg Clamp	3 lbs.
SD4LCP	4-Way Leg Clamp	3 lbs.
SD4ALCP	4-Way Adjustable Leg Clamp	3 lbs.
SD4WSLCP	4-Way Wunderstructure Leg Clamp	4 lbs.

## Closure Panels

### Features:

- 1/4" Black Luan or Milk Plexi Construction
- Secures To Deck with Velcro & 0.40 x 1/2" Nickel Plated Spring Steel Leg Clips
- Provides a Hard Fascia to Mask Front, Back or Sides of Stage
- Available in a Variety of Heights & Lengths
- Provides Increased Safety for Tiered Risers
- **Custom Styles & Surfaces Available**



8' x 8" Luan Closure Panels and Side Closure Panel System

### Ordering Information:

Item #	Closure Panel Options	Weight
SDCP64	6"High x 4' Long Black Luan Closure Panel	2 lbs.
SDCP68	6"High x 8' Long Black Luan Closure Panel	4 lbs.
SDCP84	8"High x 4' Long Black Luan Closure Panel	3 lbs.
SDCP88	8"High x 8' Long Black Luan Closure Panel	6 lbs.
SDCP124	12"High x 4' Long Black Luan Closure Panel	4 lbs.
SDCP128	12"High x 8' Long Black Luan Closure Panel	8 lbs.
SDCP164	16"High x 4' Long Black Luan Closure Panel	5 lbs.
SDCP168	16"High x 8' Long Black Luan Closure Panel	9 lbs.
SDCP244	24"High x 4' Long Black Luan Closure Panel	8 lbs.
SDCP248	24"High x 8' Long Black Luan Closure Panel	14 lbs.
SDCP324	32"High x 4' Long Black Luan Closure Panel	8 lbs.
SDCP328	32"High x 8' Long Black Luan Closure Panel	14 lbs.
SDCP364	36"High x 4' Long Black Luan Closure Panel	9 lbs.
SDCP368	36"High x 8' Long Black Luan Closure Panel	15 lbs.

ADD MP TO ANY ITEM # FOR MILK PLEXI  
(Example: SDCPMP88)



Leg Clip



18" x 24" Milk Plexi Closure Panel



16' x 12' Custom Tongue and Groove Stage With Curved Thrust



## Fixed Height Stair Units

### Features:

- Steel & Aluminum Construction
- 11 3/4" Deep x 42" Wide Non-Skid Quad Stair Treads
- Rise Not To Exceed 7"
- Meets 150 lbs. Side Impact Load
- Self Contained Clamp Has No Loose Parts
- Base Has 3" Diameter Steel Zinc Chromate Leveling Feet with 3" of Fine Adjustment
- Requires No Tools for Installation
- Swing-Type Clamp Device Attaches to a Variety of Stages
- Handrails Available Straight or Curved & Fold Flat for Storage
- Standard Black Powder-Coating
- Installs With or without Handrail
- Easily Converts to Free Standing with Stage Legs
- **Custom Designs Available**
- **NEVER USE STAIRS WITHOUT CLAMP DEVICE TIGHTENED**



One Step Stair Unit  
without Handrail



One Step Stair Unit  
without Handrail



2 Step Stair Unit  
with Hand-



2 Step Stair Unit  
Converts to Free  
Standing By Adding  
Fixed Height Legs



2 Step Stair Unit  
without Handrail



Custom 4 Step Stair Unit  
with Optional Curved  
Handrails and Casters

### Ordering Information:

Item #	Fixed Stair Unit Options	Weight
SD1SSNHR	1 Step Stair Unit No Handrail – 16" Stage Height	36 lbs.
SD2SSNHR	2 Step Stair Unit No Handrail – 24" Stage Height	73 lbs.
SD2SSWHR	2-Step Stair Unit With Handrail – 24" Stage Height	113 lbs.

# Stair Units

## Adjustable Height Stair Units

### Features:

- Steel & Aluminum Construction
- 11 3/4" Deep x 42" Wide Non-Skid Quad Stair Treads
- Folds Flat For Easy Storage
- Meets 150 lbs. Side Impact Load
- Base Has 3" Diameter Steel Zinc Chromate Leveling Feet with 3" of Fine Adjustment
- Requires No Tools for Installation
- Jaw-Type Clamp Device Attaches to a Variety of Stages
- Crank Handle for Easy Height Adjustment
- Handrails Available Straight or Curved
- Standard Black Powder-Coating
- Installs with or without Handrail
- Stair Plugs Required When Installing without Handrail
- Custom Designs Available
- **NEVER USE STAIRS WITHOUT CLAMP DEVICE**



3 Step Adjustable Stair Unit with Handrails



3 Step Adjustable Stair Unit without Handrails



9 Step Adjustable Stair Unit with Curved Handrails



7 Step Adjustable Stair Unit with Handrails



5 Step Adjustable Stair Unit with Handrails



### Ordering Information:

Item #	Adjustable Height Stair Unit Options	Weight
SD1224ASP	12" – 24" Adjustable Stair Unit ( 3 Step)	123 lbs.
SD1632ASP	16" – 32" Adjustable Stair Unit ( 4 Step)	137 lbs.
SD2440ASP	24" – 40" Adjustable Stair Unit ( 5 Step)	178 lbs.
SD3656ASP	36" – 56" Adjustable Stair Unit ( 7 Step)	205 lbs.
SD4878ASP	48" – 78" Adjustable Stair Unit ( 9 Step)	242 lbs.
SD78108ASP	78" – 108" Adjustable Stair Unit (13 Step)	280 lbs.



Adjustable Stair Base with Leveling Foot Pads



## Stair Boxes, Free Standing & Custom Stairs

### Features:

- Steel, Aluminum or Wood Construction
- Provides Easy Access to Solid Faced Staging
- Variety of Tread Widths Available
- Rise Not To Exceed 7"
- Available With or Without Casters
- Requires No Tools for Installation
- Handrails Available Straight or Curved
- Installs with or without Handrail



1 Step Stair Box



2 Step Stair Box



3 Step Stair Box



Chevron-Custom  
Stair Unit



2 Step Free Standing  
Stair Unit



3 Step Free Standing  
Stair Unit



3 Step Free Standing  
Stair Unit with Casters  
and without Handrail



4 Step Free Standing  
Stair Unit



5 Step Free Standing  
Stair Unit



5 Step Free Stair Unit  
with Closure Panels

### Ordering Information:

Item #	Free-Standing Stair Unit Options	Weight
SD1SSBOX	1 Step Stair Box – 16" Stage Height	12 lbs.
SD2SSBOX	2 Step Stair Box – 24" Stage Height	21 lbs.
SD3SSBOX	3 Step Stair Box – 32" Stage Height	39 lbs.
SD2SSFREE	2 Step Free-Standing Stair Unit – 24" Stage Height	52 lbs.
SD3SSFREE	3 Step Free-Standing Stair Unit – 32" Stage Height	73 lbs.
SD4SSFREE	4 Step Free-Standing Stair Unit – 36" or 40" Stage Height	110 lbs.
SD5SSFREE	5 Step Free-Standing Stair Unit – 48" Stage Height	150 lbs.

# Guardrail

## Standard Steel Guardrail

### Features:


- Schedule 10 1 1/4" Steel Pipe & 1" x 2" Rectangular Steel Tube Construction
- Meets 200 lb. Side Load Impact Requirement
- 42" High with 2" High Chairstop
- Jaw-Type Clamp Device Attaches to a Variety of Stages
- Side Mount & Thru Deck Attachment Available
- Requires No Tools For Installation
- Standard Black Powder-Coating
- Custom Designs Available
- **NEVER USE GUARDRAIL WITHOUT CLAMP DEVICE**



4' Standard Guardrail



8' x 12' Stage with Wunderstructures



Thru Deck  
Guardrail Receiver



Side of Deck  
Guardrail Receiver

### Ordering Information:

Item #	Standard Steel Guardrail Options	Weight
SDGR2	2' Long x 42" High Guardrail	26 lbs.
SDGR3	3' Long x 42" High Guardrail	34 lbs.
SDGR4	4' Long x 42" High Guardrail	43 lbs.
SDGR5	5' Long x 42" High Guardrail	55 lbs.
SDGR6	6' Long x 42" High Guardrail	64 lbs.
SDGR7	7' Long x 42" High Guardrail	72 lbs.
SDGR8	8' Long x 42" High Guardrail	85 lbs.




8' Standard Guardrail

## Steel Picket Guardrail

### Features:


- Schedule 10 1 1/4" Steel Pipe, 3/4" Steel Tube, 1" x 2" Rectangular Steel Tube Construction
- Meets 200 lb. Side Load Impact Requirement
- 42" High with 2" High Chairstop
- Infill Balusters Spaced Less Than 4" Apart
- Jaw-Type Clamp Device Attaches to a Variety of Stages
- Side Mount & Thru Deck Attachment Available
- Requires No Tools For Installation
- Standard Black Powder-Coating
- Custom Designs Available
- **NEVER USE GUARDRAIL WITHOUT CLAMP DEVICE**



8' Picket Guardrail

### Ordering Information:

Item #	Picket Steel Guardrail Options	Weight
SDGR2PP	2' Long x 42" High Guardrail	37 lbs.
SDGR3PP	3' Long x 42" High Guardrail	44 lbs.
SDGR4PP	4' Long x 42" High Guardrail	56 lbs.
SDGR5PP	5' Long x 42" High Guardrail	63 lbs.
SDGR6PP	6' Long x 42" High Guardrail	71 lbs.
SDGR7PP	7' Long x 42" High Guardrail	80 lbs.
SDGR8PP	8' Long x 42" High Guardrail	90 lbs.



4' Picket Guardrail



# Guardrail & Chairstops

## Aluminum ADA Guardrail

### Features:

- 2" x 2" Aluminum Tube, 1/2" & 1 1/4" Schedule 40 & Aluminum Plate Construction
- Meets 200 lb. Side Load Impact Requirement
- 36" Intermediate Handrail
- 42" Continuous Handrail
- 2" High Chairstop
- Infill Balusters Spaced Less than 4" Apart
- Jaw-Type Clamp Device Attaches to a Variety of Stages
- Side Mount & Thru Deck Attachment Available
- Requires No Tools For Installation
- Starter Ramp and Corner Sections Available
- Custom Designs Available
- **NEVER USE GUARDRAIL WITHOUT CLAMP DEVICE**



4' ADA Aluminum Guardrail



4' Powder Coated  
ADA Aluminum Guardrail



8' ADA Aluminum Guardrail



8' Powder Coated ADA Aluminum Guardrail



ADA Guardrail  
Installed On  
ADA Ramp



ADA Guardrail  
For Starter Ramp

### Ordering Information:

Item #	ADA Aluminum Guardrail Options	Weight
SDADAGR2	2' Long x 42" High ADA Guardrail	18 lbs.
SDADAGR3	3' Long x 42" High ADA Guardrail	20 lbs.
SDADAGR4	4' Long x 42" High ADA Guardrail	24 lbs.
SDADAGR5	5' Long x 42" High ADA Guardrail	32 lbs.
SDADAGR6	6' Long x 42" High ADA Guardrail	46 lbs.
SDADAGR7	7' Long x 42" High ADA Guardrail	50 lbs.
SDADAGR8	8' Long x 42" High ADA Guardrail	57 lbs.
SDADAGR8R	8' Long X 42" High ADA Ramp Guardrail	68 lbs.

## Chairstops

### Features:

- 1" x 2" Rectangular Aluminum Tube Construction
- Easily Attaches to a Variety of Stage Decks
- Effective Safety Measure for Seating Risers & Camera Platforms
- Standard Mill Finish Aluminum With Steel Quick Release Clamps
- Powder Coating Available
- **Custom Colors & Lengths Available**

### Ordering Information:

Item #	Chairstop Options	Weight
SDCS2	1" Wide x 2' Long x 2" High Chairstop	2 lbs.
SDCS3	1" Wide x 3' Long x 2" High Chairstop	3 lbs.
SDCS4	1" Wide x 4' Long x 2" High Chairstop	4 lbs.
SDCS5	1" Wide x 5' Long x 2" High Chairstop	6 lbs.
SDCS6	1" Wide x 6' Long x 2" High Chairstop	7 lbs.
SDCS7	1" Wide x 7' Long x 2" High Chairstop	8 lbs.
SDCS8	1" Wide x 9' Long x 2" High Chairstop	9 lbs.



8' Chairstop Installed  
on 4' x 8' Stage Deck



4' Chairstop Installed  
on 4' x 4' Stage Deck




4' Powder Coated Black Chairstop  
Installed on 4' x 4' Stage Deck

# Ramps

## ADA & Equipment Ramps

### Features:

- Indoor or Outdoor Applications
- Permanent or Portable Installation
- Bi-Directional Knurled Tread, Diamond Plate or Non-Skid Quad Surface Options
- Complies with ANSI, BOCA, IBC, SBCCI, CABO and Florida SREF Codes
- Easy Installation
- 1' Long for Every Inch in Height
- Rest Landings Required Every 24'
- Available in Straight Run, "L" or "U" Shaped
- Custom Designs Available
- Starter Ramps & Transition Wedges Combined With Standard Decks to Build Ramps
- Transition Wedges Available in 4' or 8' Lengths and Up or Down Options
- Wunderstructure and Fixed or Adjustable Leg Support Packages
- Deck Side Mount Guardrail Receivers Provide Convenient Guardrail Installation on Standard Decks



24' Long Portable  
"L" Shaped ADA Ramp



8' Long ADA Ramp  
with Black Powder  
Coated Guardrails



7' Long ADA Ramp



16' Long x 38" Wide Equipment Ramp



Exterior Permanent Install  
ADA Ramp



24' Long Equipment Ramp

### Ordering Information:

Item #	ADA Ramp Options	Weight
SD4X4SRDP	4' Wide x 4' Long Diamond Plate Starter Ramp	55 lbs.
SD4X8SRDP	4' Wide x 8' Long Diamond Plate Starter Ramp	89 lbs.
SDTW4'	5' 1/4" Wide x 4' Long Transition Wedge	18 lbs.
SDTW8'	5' 1/4" Wide x 8' Long Transition Wedge	27 lbs.
SDADAGR8R	8' Long ADA Starter Ramp Guardrail	68 lbs.
SDEQUIPRAMP	38" Wide x 16' Long / 4000 lbs. Capacity Equipment Ramp	250 lbs.



## Vertical Carts

### Features:

- 2" x 2" Welded Steel Frame Base and Bolted Modular Upright Construction
- Grade 5 Zinc Plated Bolts With Nylock Nuts
- Standard Black Powder-Coating
- Rigid or Swivel 6" Urethane Casters with 1,000 lbs. Load Capacity
- Conversion Kits for Wunderstructures, Stair Units & Guardrail
- Optional Crowned Casters, Pneumatic Tiers Forklift Channels & Storage Baskets Available
- 28" Wide Fully Loaded 6 Deck Cart fits through Standard Doorways
- 34" Wide Fully Loaded 8 Deck Cart
- **Combo and Custom Designs Available**



Bolt Construction



6-Deck Vertical Cart



Vertical Wunderstructure Cart



6-Deck Vertical Cart with Optional Basket



Vertical Guardrail Cart



8-Deck Vertical Cart

### Ordering Information:

Item #	Vertical Cart Options	Weight
SD6DVC4S	6-Deck Vertical Cart 4 Swivel Casters	149 lbs.
SD6DVC2S	6 Deck Vertical Cart 2 Swivel / 2 Rigid Casters	149 lbs.
SD8DVC4S	8-Deck Vertical Cart 4 Swivel Casters	159 lbs.
SD8DVC2S	8 Deck Vertical Cart 2 Swivel / 2 Rigid Casters	159 lbs.
SDVDCGA	Guardrail Conversion Kit	32 lbs.
SDVDCWA	Wunderstructure Conversion Kit	11 lbs.
SDVDCFT6	Forklift Tubes (Pair) For 6 Deck Vertical Cart	91 lbs.
SDVDCFT8	Fork Tubes (Pair) For 8 Deck Vertical Cart	111 lbs.
SDBASKET	Vertical Deck Cart Storage Basket	55 lbs.



Optional Vertical Cart Fork Tubes

## Flat Deck Carts

### Features:

- 2" x 2" Welded Steel Frame Base
- Capacity: 15 Decks, 8-10 Stair Units & 10-12 Wunderstructures or Guardrails
- Standard Black Powder-Coating
- Rigid or Swivel 6" Urethane Casters with 1,000 lbs. Load Capacity
- Removable Handle Provides Convenient Truck Pack
- Optional Crowned Casters, Pneumatic Tiers & Forklift Channels Available
- **Custom Designs Available**



15 Deck Flat Cart



Flat Deck Cart Handle Being Inserted Into Base

### Ordering Information:

Item #	Flat Cart Options	Weight
SD15DFC4S	15 Deck Flat Cart 4 Swivel Casters	85 lbs.
SD15DFC2S	15 Deck Flat Cart 2 Swivel / 2 Rigid Casters	85 lbs.
SD15DFCFT	Forklift Tubes (Pair) For Flat Cart	14 lbs.
SD15DFCH	Replacement Handle for Flat Cart	13 lbs.



15 Deck Flat Cart With Pneumatic Wheels

# Stage Skirting


## Stage Skirting

### Features:

- Fixed or Adjustable Heights
- Fabric Selections: Showtex, Wyndham, Encore, Plateau or Velour
- Shirred, Box Pleat or Flat Styles
- Inherently Flame Retardant
- Showtex, Wyndham & Encore Fabrics Are Machine Wash & Dry
- Plateau & Velour Fabrics Are Dry Clean Only
- Sewn with Standard Loop Velcro
- Priced Per Linear Foot
- Panels Cut to any Length
- All Skirting Is Sewn to Order – Lead Times vary
- Custom Colors, Silk Screening & Dye to Match Options Available
- Color Selections for Wyndham and Encore, See Page 22
- Color Selections for Showtex, Plateau and Velour, See Page 23



Flat Velour Stage Skirting



Adjustable Stage Skirting



Adjustable Height Skirting



Adjustable Height Skirting



Flat



Box Pleat



Shirred



Adjustable

### Ordering Information:

All skirting is ordered by style, fabric and height. Pricing is by linear foot and there is no additional charges for multiple sections. Below are the item numbers for 12" high skirting. To order different heights change the last two digits of the item number. For Example, to order 32" high box pleat Showtex skirting the item number would be: SDBPST32.

Item #	Stage Skirting Options
SDBPW12	Box Pleat Wyndham 12" High Skirt
SDBPE12	Box Pleat Encore 12" High Skirt
SDBPST12	Box Pleat Showtex 12" High Skirt
SDBPP12	Box Pleat Plateau 12" High Skirt
SDBPV12	Box Pleat Velour 12" High Skirt
SDSW12	Shirred Wyndham 12" High Skirt
SDSE12	Shirred Encore 12" High Skirt
SDFW12	Flat Wyndham 12" High Skirt
SDFE12	Flat Encore 12" High Skirt
SDFS12	Flat Showtex 12" High Skirt
SDFP12	Flat Plateau 12" High Skirt
SDFV12	Flat Velour 12" High Skirt



## Wyndham Fabric Color Options



## Encore Fabric Color Options



# Pipe & Drape

## Pipe & Drape

### Features:

- 1 1/2" or 2" OD 6063-T6 Aluminum Uprights & Drape Supports
- Zinc Plated or Powder-Coated Solid Steel Bases
- Fixed or Telescoping Uprights & Drape Supports
- Slip or Screw Fit Options
- Banjo, Showtex, Whyndam, Encore, Plateau or Velour Fabric Selections
- 1 9/16" Drape Supports Available from 3' – 20' Long
- Deep Engagement slots for Secure Attachment
- Solid Drape Supports Available
- Upright Sizes Available from 3' – 20' High
- 3' Uprights With one Set of 4 Slots @ Top
- 6' and Over Uprights Two Sets of 4 Slots
- Chrome End Cap on Uprights
- Additional Slots on Upright Options
- Low profile Bases with Stacking Slots Provide Multiple Mounting Holes
- Storage / Transportation Carts
- **Custom Designs Available**




Telescoping Drape Support



Slip Fit Base



Slip Fit Base



Telescoping Uprights

## Showtex, Velour & Plateau Fabric Color Options

Wheat	Green	Old Jade	Doeskin	Hunter
Peacock	Mocha	Pussywillow	Aqua	Moleskin
Pewter	Brown	Pink	American Ash Rose	Ash Rose
Regal Red	Red	Cherry	Plum	Ruby
Eggplant	Persimmon	Copper	Chamois	Colonial Brick
Gold	Brandy	Maize	Crimson	Delft Blue
Ice Blue	Cadet Blue	Navy	Copen Blue	Ink Blue
Cornflower	Hyacinth	White	Black	





## Features:

- 7 Gauge Steel Construction
- Bracket Easily Mounts to Source Four Par Fixtures
- Allows you to Hang From C-Clamp, Mount to Lamp Bar or Stand on the Ground
- Eliminates Separate Floorbase needs
- Floor Set-Up Accomplished with or without Removal of C-Clamp
- Standard Black Powder-Coating

## Ordering Information:

Item #	Kickstand Options	Weight
SDKICKSTANDA	Kickstand With 3" Brake	12 lbs.
SDKICKSTANDB	Kickstand With 3 1/2" Brake	12 lbs.



# TRUSS DOLLIES

## Features:

- Steel Construction
- Standard Sizes Accommodate 12", 16" & 20.5" Truss
- Self Locating Plates Properly Align Truss upon placement
- J-Hook or E-Track Receivers for Strapping
- Available In Single, Double or Triple Units
- Stack Up to 5 Sticks of Truss on Single Units, 10 Sticks on Double Units and 15 Sticks on Triple Units
- (2) 1 1/4" x 4" Swivel Casters Per Dolly
- Sold in Pairs
- Gold Chromated Finish



12" Single Truss Dolly



16" Single Truss Dolly



20.5" Single Truss Dolly



12" Double Truss Dolly




16" Double Truss Dolly



20.5" Double Truss Dolly



12" Triple Truss Dolly



## Ordering Information:

Item #	Truss Dolly Options	Weight
SDTRUSSD12S	12" Truss Dolly Single Stack	4 lbs
SDTRUSSD12D	12" Truss Dolly Double Stack	8 lbs.
SDTRUSSD12T	12" Truss Dolly Triple Stack	12 lbs.
SDTRUSSD16S	16" Truss Dolly Single Stack	5 lbs.
SDTRUSSD16D	16" Truss Dolly Double Stack	10 lbs.
SDTRUSSD20.5S	20.5" Truss Dolly Single Stack	6 lbs.
SDTRUSSD20.5D	20.5" Truss Dolly Double Stack	13 lbs.

## Specialty Items

# TRUSS PICKS

### Features:

- Laminated Laser Cut High Tensile Steel & 6061-T6
- Machined Clamps with Positive Conical Lock Construction
- 3 Top and 1 Bottom Rigging Points on 12" Model
- 5 Top and 1 Bottom Rigging Points on 16" Model
- 7 Top and 1 Bottom Rigging Points on 20.5" Model
- Tool Steel Toggles
- One Ton Truss Load in Saddles
- Additional One Ton Load Through Lower Rigging
- Powder-Coating Available in a Variety Of Colors
- **Custom Sizes Available**



16" Truss Pick—Black



12" Truss Pick—Silver



20.5" Truss Pick—Black

### Ordering Information:

Item #	Truss Pick Options	Weight
SDTRUSSP12	12" Truss Pick	6 lbs.
SDTRUSSP16	16" Truss Pick	9 lbs.
SDTRUSSP20.5	20.5" Truss Pick	11 lbs.

**Must Specify Desired Color**

# QUICK CLAMP

### Features:

- Laser Cut Steel Plate & Tubing Weldment Construction
- 4140 Pivoting Drawnuts
- Expedites Rigging Process
- Easily Accommodates Lamp Bars, Motors and Moving Light Fixtures
- Eliminates Tent Lighting Placement Problems
- Attaches to Column Sizes from 3.5" – 16"
- Accommodates Square, Rectangular and Round Columns
- Single 3/4" Rigging Point
- Twin Balanced Tension Chairs Driven by 1/2" Diameter Lead Screw
- Integral Clamp for 2" Diameter Tubing or 1/5" Schedule 40 Light Bar



### Ordering Information:

Item #	Quick Clamp Options	Weight
SDQUICKCLAMP	Quick Clamp	28 lbs.
SDQUICKCLAMPSQ	Quick Clamp Square Column Attachment	8 lbs.



## TERMS & CONDITIONS

**PRICING:** All quotes are valid for a period of thirty (30) days from date of quote. Past due balances are subject to 1.5% interest per month, 18% annually. In the event of a legal dispute, the customer agrees to pay all reasonable attorney's fees and costs incurred by Staging Dimensions, Inc. in protecting its rights under this agreement. The customer also agrees that it is subject to personal jurisdiction in Delaware for any dispute relating to this agreement.

**FINANCIAL CONSIDERATION:** A fifty (50%) percent deposit is required with order confirmation. The balance including freight charges shall be due prior to shipping. We accept Visa, Discover, MasterCard, American Express, checks, cash money orders or Electronic Funds transfer. All deposits are non-refundable. Any and all cancellations will result in forfeiture of all deposit monies. All skirting and drapery items are sewn to order, non-returnable and must be paid for in full at order confirmation.

**SHIPPING POLICY:** Shipping charges are calculated by weight only, and ARE ESTIMATED based on delivery to a commercial location with a standard loading dock. Additional charges will apply if delivery is made to a residential, school or church location and if a "Call Before", lift gate or inside delivery is necessary. Shipping charges may vary based on linear footage. All shipments are "Freight On Board" New Castle, DE, and shall be in good order upon release to the carrier. Photographs of the packed equipment will be sent to the customer along with bill of lading or tracking numbers on the day of shipping. It is the responsibility of the customer to furnish their receiving department with these photos and tracking information. **DO NOT** sign off on the bill of lading (BOL) if the pallets **DO NOT** arrive in the same condition as the photos. If cardboard, straps, shrink-wrap or cardboard corners are missing this **MUST** be noted on the BOL and write the statement "Exterior damaged, contents must be inspected for damaged or missing items". If there is visible damage to equipment this must also be noted on the BOL prior to signing. If equipment is damaged and the BOL is signed off without noting damage we cannot file freight claims. If we are unable to file a claim to recoup monies for the damaged equipment we **CANNOT** provide you with replacement equipment free of charge and you will be billed for any and all replacement equipment. With the current fuel situation, freight charges are subject to change on a daily basis.

**RETURN POLICY:** Prior to returning any item purchased from Staging Dimensions the customer must first contact their sales representative to obtain a Returned Merchandise Authorization number (RMA). Returned goods, without prior authorization or goods in poor or damaged condition will not be accepted. The cost of return freight is the responsibility of the customer and all returns are subject to a twenty-five (25%) percent re-stock fee. All equipment returned must be in good, resalable condition. Staging Dimensions is not responsible for any damage to equipment incurred during return freight transit.

## WARRANTY

STAGING DIMENSIONS, guarantees its products will be free from defects in workmanship and materials at the time of purchase providing the purchaser follows the manufacturer's guidelines for use. The product will be guaranteed to perform according to the published specifications for a period of three (3) years (with the exception of the SD6000 Weather Resistant Deck which is guaranteed for a period of one year) from the date of shipment. STAGING DIMENSIONS is not responsible for damage to products where load specifications were exceeded or where guidelines for usage were not followed.

Except as expressly stated and warranted herein:

(i) STAGING DIMENSIONS disclaims any other warranties, whether expressed or implied, including any warranty of merchantability or fitness for a specific purpose;

(ii) unless project engineer reports are included, STAGING DIMENSIONS has made no affirmations of fact or promise relating to the goods being sold that has become the basis of this bargain, or that has created or amounted to any express warranty that they goods would conform to any such affirmation of promise;

(iii) this warranty extends exclusively to the original purchaser of the warranted goods and subsequent purchasers are not covered by this warranty;

(iv) this warranty does not apply to the buyer's misuses, damages, improper maintenance, repairs or replaces with a part not of STAGING DIMENSIONS manufacture;

(v) except for its duty to repair or replace defective parts, STAGING DIMENSIONS shall not be liable for any consequential or incidental damages resulting from a defect part.

Staging Dimensions reserves the right to change materials or design features when, in our opinion, such changes will improve the product. Additionally, Staging Dimensions does not have control if materials are discontinued or no longer available. Staging Dimensions will not be held liable or financially responsible for replacement of existing inventory of a discontinued product. This warranty is performable in New Castle, Delaware and all obligations, rights and duties of buyer and Staging Dimensions shall be governed by the laws of the State of Delaware.

# *Staging* *Dimensions*

***Custom Fabrication Is Our Specialty!***

**31 Blevins Drive • Suite A • New Castle, DE 19720**  
**Phone (866)591-3471/(302)328-4100 Fax(302)328-1034**  
**[www.stagingdimensions.com](http://www.stagingdimensions.com)**

